

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(probe) and (ground near3 (compensat\$3 calibrat\$3 balanc\$3) near3 voltage)	USPAT	OR	OFF	2005/11/13 10:02
L2	13	(probe) and (ground near3 (compensat\$3 calibrat\$3 balanc\$3) near3 voltage)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:11
L3	27	(ground adj signal adj ground near3 (probe\$1 test\$3))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:57
L4	16	("4646005" "4673885" "4709141" "4923407" "5012186" "5270660" "5323115" "5506515" "5565788" "5661396" "5699530" "5869975" "5963058" "6125217" "6140883" "6566854").PN. OR ("6856129").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/13 10:20
L5	2	("4542302" "6462528").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/13 10:27
L7	3278	324/72.5,522,763,601,602.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/13 10:29
L8	39	7 and ((balanc\$3 correct\$3 compensat\$3 match\$3) near3 ground\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/13 10:43
L9	19	8 and probe	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/13 10:30
L10	0	((balanc\$3 correct\$3 compensat\$3 match\$3) near3 ground\$1 near3 shield\$3 near3 noise)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/13 10:43
L11	2	((balanc\$3 correct\$3 compensat\$3 match\$3) near3 ground\$1) and (ground near3 shield\$3 near3 noise)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/13 10:43
L12	2	((balanc\$3 correct\$3 compensat\$3 match\$3) near3 ground\$1) and (ground near3 shield\$3 near3 noise)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:43
L13	61	(balanc\$3 correct\$3 compensat\$3 match\$3) and (ground near3 shield\$3 near3 noise)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:44
L14	10	13 and (dut probe\$1)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:46

L15	7	13 and ("324"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:46
L16	2	((ground adj signal adj ground) with (balanc\$3 correct\$3 compensat\$3 match\$3)) and (probe\$1 dut)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:55
L17	2	((ground-signal-ground) with (balanc\$3 correct\$3 compensat\$3 match\$3)) and (probe\$1 dut)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:55
L18	12	((ground-signal-ground) with (probe\$1 dut)) and ((balanc\$3 correct\$3 compensat\$3 match\$3) with ground)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:56
L19	346	((balanc\$3 correct\$3 compensat\$3 match\$3 calibrat\$3) with ground with probe\$1)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:56
L20	17	19 and (ground adj signal adj ground)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 10:58
L21	19	(ground near3 shield\$3 near3 noise).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 11:00
L22	44	(probe with ground with (balanc\$3 correct\$3 compensat\$3 match\$3 calibrat\$3)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/13 11:00
S1	1	((((device\$1 adj under adj test) DUT) near3 probe) and (probe near3 tip near3 grounded)	USPAT	OR	OFF	2005/11/10 11:49
S2	12	((((device\$1 adj under adj test) DUT) near3 probe) and (probe near3 grounded)	USPAT	OR	OFF	2004/12/09 12:36
S3	18	((((device\$1 adj under adj test) DUT) near3 probe) and (probe near3 tip near3 ground\$3)	USPAT	OR	OFF	2004/12/09 12:51
S4	1	S3 and (sum\$4 near3 circuit)	USPAT	OR	OFF	2004/12/09 12:37
S5	0	S3 and ((compensat\$3 correct) near3 voltage near3 drop\$1)	USPAT	OR	OFF	2004/12/09 12:37
S6	0	((((device\$1 adj under adj test) DUT) near3 probe) and (probe near3 source near3 ground\$3) and ((correct\$4 compensat\$4) near3 ground\$3)	USPAT	OR	OFF	2004/12/09 12:53
S7	2	((((device\$1 adj under adj test) DUT) near3 probe) and ((correct\$4 compensat\$4) near3 ground\$3)	USPAT	OR	OFF	2004/12/09 12:53

S8	3	((device\$1 adj under adj test) DUT) near3 probe) and ((correct\$4 compensat\$4 balanc\$3) near3 ground\$3)	USPAT	OR	OFF	2004/12/09 12:55
S9	0	((device\$1 adj under adj test) DUT) near3 probe) and (probe near3 source near3 ground\$3) and ((correct\$4 compensat\$4 balanc\$3) near3 ground\$3)	USPAT	OR	OFF	2004/12/09 12:53
S10	1	"6806697".pn.	USPAT	OR	OFF	2004/12/09 12:55
S11	5	("3657669" "4398188" "4542302" "5055828" "6094042").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/09 13:02
S12	0	((device\$1 adj under adj test) DUT) near3 probe) and ((probe tip) with ground\$3 with (source supply generator)) and ((correct\$3 compensat\$3) near3 voltage adj drop)	USPAT	OR	OFF	2005/06/25 15:38
S13	3	((device\$1 adj under adj test) DUT) near3 probe) and ((probe tip) with ground\$3 with (source supply generator)) and ((correct\$3 compensat\$3) near3 voltage adj drop)	US-PGPUB; USPAT	OR	ON	2005/06/25 15:38
S14	5	("3657669" "4398188" "4542302" "5055828" "6094042").PN. OR ("6806697").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/25 15:55
S15	4	(probe with active near3 circuit\$3) and ((correct\$3 compensat\$3) near3 voltage adj drop)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/25 15:58
S16	14	(probe with active near3 circuit\$3) and ((correct\$3 compensat\$3) near3 voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/25 16:17
S17	10	S16 not S15	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/25 15:58
S18	8	("4403183").URPN.	USPAT	OR	OFF	2005/06/25 16:05
S19	63	(probe with circuit\$3) and ((correct\$3 compensat\$3) near3 (voltage adj drop\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/25 16:31
S20	8	("4403183").URPN.	USPAT	OR	OFF	2005/06/25 16:30
S21	1	S20 and ((correct\$3 compensat\$3) near3 (voltage adj drop\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/25 16:31

S22	0	(probe) and ((correct\$3 calibrat\$3 adjust\$4) near3 ground\$3 near3 voltage near3 (drop\$1 difference\$1 variataion\$1))	USPAT	OR	OFF	2005/11/10 11:51
S23	12	(probe) and ((correct\$3 calibrat\$3 adjust\$4) near3 probe\$1) and (ground\$3 near3 voltage near3 (drop\$1 difference\$1 variataion\$1))	USPAT	OR	OFF	2005/11/10 15:10
S24	13	(probe) and ((correct\$3 calibrat\$3 adjust\$4) near3 probe\$1) and (ground\$3 near3 voltage near3 (drop\$1 difference\$1 variataion\$1))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/10 14:50
S25	546498	"13" not "12"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/10 11:51
S26	1	S24 not S23	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/11/10 11:51
S27	5	("20020011856" "5519366" "6469383" "6514783" "6639322").PN. OR ("6804807"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/10 15:05
S28	46	((ground adj signal adj ground) with probe\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/10 15:06
S29	11	(probe) and ((correct\$3 calibrat\$3 adjust\$4) near3 probe\$1) and (ground\$3 near3 (unbalance\$1 offset))	USPAT	OR	OFF	2005/11/10 15:17
S30	2	(probe) and ((correct\$3 calibrat\$3 adjust\$4) near3 ground\$3).clm. and (ground\$3 near3 (unbalance\$1 offset))	USPAT	OR	OFF	2005/11/10 15:20
S31	4	(probe with (correct\$3 calibrat\$3 adjust\$4) near3 ground\$3) and (ground\$3 near3 (unbalance\$1 offset))	USPAT	OR	OFF	2005/11/10 15:42
S32	1	(probe with ground with contact\$3) and ((correct\$3 calibrat\$3) near3 ground\$3 with (unbalance\$1 balanced))	USPAT	OR	OFF	2005/11/10 15:54
S33	6	(probe with ground with balanc\$3).clm.	USPAT	OR	OFF	2005/11/10 15:55
S34	41	(probe) and (ground with balanc\$3).clm.	USPAT	OR	OFF	2005/11/10 15:58
S35	9	(probe with ground near3 balanc\$3)	USPAT	OR	OFF	2005/11/10 17:11